He Gazette of India

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं• 44]

नई दिल्ली, शनिवार, अक्तूबर 31, 1998 (कार्तिक के 1920)

No. 44]

NEW DELHI, SATURDAY, OCTOBER 31, 1998 (KARTIKA 9, 1920)

इस माग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह असग संकलन के रूप में रखा जा सके [Separate paging is given to this Part in order that it may be filed as a separate compilation]

माग III—खण्ड 2 [PART III—SECTION 2]

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और बिजाइनों से सम्भन्धित अधिसूचनाएं और नोटिस [Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE

PATENTS AND DESIGNS

Calcutta, the 31st October 1998

ADDRESS AND JURISDICTION OF THE OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Mumbai, Delhi and Chennai having territorial Jurisdiction on a Zonal basis as shown below:—

Patent Office Branch, Todi Estates, Illird Floor, Lower Parel (West), Mumbai-400 013.

The States of Gujarat, Maharashtra, Madhya Pradesh and Goa and the Union Territories of Daman and Diu and Dadra and Nagar Haveli,

Telegraphic address "PATOFFICE"

Patent Office Branch, Unit No. 401 to 405, IIIrd Floor, Municipal Market Building, Saraswat! Marg. Karol Bagh, New Delhi-110 005.

The States of Haryana, Himachal Pradesh, Jamusu and Kashnir, Punjab, Rajasthan, Uttar Pradesh and Delhi and the Union Territory of Chandigark

Telegraphic address "PATENTOFIC"

1-307 GT/98

Patent Office Branch, Wing 'C' (C-4, A), IIIrd Floor, Rajaji Bhaven, Besant Nagar, Chennai-600 090.

The States of Andhra Pradesh, Karnataka, Kerala, Tamiinadu & Pondicherry and the Union Territories of Laccadive, Minicoy and Aminidivi Islands.

Telegraphic address "PATENTOFIC".

Patent Office, (Head Office), "NIZAM PALACE". 2nd M.S.O Building, 5th, 6th & 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 029.

Rest of India.

Telegraphic address "PATENTS"

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees:—The fees may either be paid in cash or may be sent by Money Order or payable to the Controller at the appropriate Offices or by bank draft or cheque payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

पेट ट कार्यास्य

एकस्य तथा अभिकल्प

कलकत्ता, चितांक 31 अक्तूबर 1998

पैटरेंट कार्यालय के कार्यालयों के पहे एवं क्षेत्र विकार

पैटीट कार्यालय का प्रधान कार्यालय कसकला में अवस्थित हैं तथा मुख्यई, दिल्ली एवं चैलाई में इसके शासा कार्यालय हैं, जिनके पार्वोद्यक क्षेत्रिकार कीन के आधार पर निम्म रूप में पर्वाधित हैं:—

पैटेंट कार्यालय शासा, टोडी इस्टेड, तीसरा तल, लोअर परोल (प.), मुम्बर्ड-400 013.

गुजरात. महाराष्ट्र, मध्य प्रदेश तथा गीशा राज्य क्षेत्र श्वं संघ शामित क्षेत्र, दक्त सका दिल एवं बाहर कीर नगर हमोली ।

तार पता-"पेटोफिस"

पेटॉट कार्यांत्य अल्ला एकक सं. 401 सं 405, तीसरा तस, नगरणान्तिका बाचार अल्ला, मरम्बली मार्ग, क्षरांच बाम, नहीं चिल्ली-110 005

हरियाणा, हिमाचल प्रदेश, जम्मू तथा कञ्मीर, पंजाब, राजस्थान, उत्तर प्रयोश तथा दिल्ली राज्य क्षेत्री एवं संघ शासित क्षेत्र चंदीसह ।

तार पता - "पेट टे पिपक"

APPLICATIONS FOR PATENTS FILED AT THE PATENT OFFICE BRANCH, WING C (C-4 'A'), HIRD FLOOR, CHENNAI-600 090.

2nd March, 1998

- 410/Mas/98. Raman Ahilan. A process for making retort sterilized sauted onions.
- 411/Mas/98. Krishnaswamy Ramaswamy. An improved air horn.
- 412/Mas/98 Kirloskar Electric Company Limited. Unified alternator.
- 413/Mas/98. A. Salam. Use of TPDT switch in place of DPDT switch in AEH circuits—single phase—for safety purposes.
- 414/Mas/98. Drutsche Babcock-Borsig Aktiengesellschaft. Heat Exchanger.
- 415/Mas/98. Mizusawa Industrial Chemicals, Ltd. Method of producing activated clay for treating aromatic hydrocarbons. (December 25, 1997; Japan).
- 416/Mas/98. Zeneca Limited. Herbicidal compositions for acetochlor in rice. (March 4, 1997; U,S.A.).
- 417/Mas/98 Z-neca Vimited. Herbicidal compositions for aceto-blor in rice and safeners therefor (March 4, 1997; U.S.A.).

पैट**िट कार्यासय धाचा**, विंग सी (सी-4, ए) गीसरा सल, राजाची भवन वसन्त नगर, चेन्स**र्य**-600090 ।

आन्ध् प्रदेश, कर्नाटक, करेल, हमिलनाडा तथा पाण्डिचेरी राज्य क्षत्र एवं संघ शासित क्षेत्र, लक्षत्र्वीप, मिनिकाय तथा एमिनिविध द्वीप ।

तार पता-''पेट'टोिफस''

पेटोट कार्यास्य (प्रभान कार्यालय) निजाम पेलेस, दिवसीय सह्यालीय कार्यालय भंजन, ८, ६ मधा 7वां तस, 234/4, भाषार्य जगदील बोम मार्ग, सनकत्ता-700 020

शार पता - "पेट"ट्स"

भारत का अवशेष क्षेत्र ।

पेटीट अधिनियम, 1970 मा पेनीट नियम, 1972 मी अपेक्षित सभी आवेदन-पत्र सूचनाएं, विवरण या अन्य प्रलेख पेटीट कार्यालय के केवल उपयवता कार्यालय में ही प्राप्त किए जायेगी।

श्रुट्स . श्रुट्स की अदायमी या तो नकद की जाएगी अथवा उपयुक्त कार्यालय में नियंत्रक को भूगतान योग्य धनादोश अथवा जाक आवोश या जहां उपयुक्त कार्यालय अवस्थित हैं, उस स्थान के अनुस्चित बैंक से नियंत्रक को भगतान योग्य बैंक ड्राफ्ट अथवा चैक दवारा की जा सकती हैं।

- 418/Mas/98. F. Hoffmann-La Ruche AG. Substituted 2, 4-diamonopyrimidine. (March 3, 1997; Europe).
- 419/Mas/98. Scotia Holdings plc. Presentation of fatty acids. (March 12, 1997; United Kingdom).
- 420/Mas/98. F. Hoffmann-La Roche AG Amidophosphinephosphinite compounds (March 10, 1997; Europe).
- 421/Mas/98. The Dow Chemical Company. Carpet, carpet backing and method for making same using homogeneously branched ethylene polymer. February 28, 1997; U.S.A.).
- 422/Mas/98. Akzo Nobel N.V. Use of a 7 α-methyl-17α-ethynyl-estranc derivative for the treatment of atherosclerosis (March 5, 1997; Netherland).
- 423/Mas/98. British Telecommunications Public Limited Company, Security check provision. (March 3, 1997; Great Britain).

3rd March 1998

- 424/Mas/98. Dr. Reddy's Research Foundation. An improved process for the preparation of melatonin.
- 425/Mas/98. Nile Ltd. An improved process for the calcination of lead wastes such as spent batteries.

energy with a second person of the second second

1200211222 20

- 426/Mas/98. Biocon India Limited. Method for producing paclifaxel and related compounds.
- 427/Mas/98. BASF Aktiengescllschaft. Hydroximic acid halides, their preparation and their use. (March 5, 1997; Germany).
- 428/Mas/93, Targor GmbH. Deodorization of polyolefin granules. (March 7, 1997; Germany).
- 429/Mas/98. Institut Français Du Petrole. Catalyst based on a molecular sieve and a process for selective hydroisomerisation of long linear and/or slightly branched paraffins using that catalyst. (March 5, 1997; France).
- 480/Mas, 93. Sunutomo Electric Industries Ltd. Premolded unit for power cable joint. (March 3, 1997; Japan).
- 431/Mas, 93. Hoecha Aktiengesellschaft. Bismuth salts of cartibiotics of the moenomycin group, processes for their preparation, their use and pharmaceuticals comprising such salts. (March 11, 1997; United Kingdom).
- 432/Mas/98. Mannesmann Aktiengesellschaft. Process and apparatus for casting thin continuous castings. (March 5, 1997; Germany).
- 433/Mas/98. Rhodia Chimie and Rhodia Inc. Use of Ce/Zr mixed oxide phase for the manufacture of styrene by dehydrogenation of ethylbenzene. (March 3, 1997; U.S.A.).
- 434/Mas, 98. Nokia Telecommunications OY Call control method. (March 4, 1997; Finland).
- 435/Mas/98. SMS Schloemann-Siemag Aktiengesellschaft.

 Method and plant for manufacturing metal strip.

 (March 4, 1997; Germany).

4th March 1998

- 436/Mas/93. Carborundum Universal Ltd. A process for the preparation of a new refractory material useful for very high temperature applications.
- 437/Mns/9%. BASF Aktiengesellschaft. Lightening dyed 1abric. (March 5, 1997; German).
- 438/Mas/98. Smithkline Beecham plc. Composition. (March 5, 1997; United Kingdom).
- 439/Mas/98. Maschinenfabrik Ricter AG. An apparatus for conveying wound laps and empty tubes. (May 16, 1997; Germany).
- 440/Mas/98. Ticona GmbH. Flame-retardant polymeric molding compositions. (March 4, 1997; Germany).
- 441/Mas/98. Flight Refuelling Ltd. Fod reduced drouge. (March 4, 1997; United Kingdom).
- 442/Mas/98. SMS Schloemann-Siemag Aktiengesellschaft.
 Top closing device for shaft furnaces. (March 7, 1997; Germany).
- 443/Mas/98. Institut Francais Du Petrole. Regeneration of paraffin reforming, isomerising or dehydrogenating catalysts in a vibrating helical coil. (March 4, 1997; France).
- 444/Mas/98. Smithkline Beecham Consumer Healthcare GMBH. Toothbrush. (March 6, 1997; Europe).
- 445/Mas/98. Ajinomoto Co. Inc. Sweetening composition having improved taste. (March 10, 1997; Japan).
- 446/Mas/98. Internation International Ltd. Production of moulded articles and apparatus for producing moulded articles.
- 447/Mas/98. Minnesota Mining & Manufacturing Company.

 External ground isolation connector for cable splice closures. (March 18, 1997: United States of America).

5th March 1998

- 448/Mas/98. Sree Chitra Tirunal Institute for Medical Sciences & Technology. A process for the preparation of calcium caseinate containing any drug.
- 449/Mas/98. Henkel-Corporation. Conditioning metal surfaces prior to phosphate conversion coating. (March 7, 1997; Japan).
- 450/Mas/98. Clariant (France) S. A. Industrial process for the continuous preparation of sodium othohydroxymandelate. (March 11, 1997; France).
- 451/Mas/98. ITV Institut for Textil- und Verfahrenstechnik.

 Drafting equipment with small double belts.

 (March 8, 1997; Germany).
- 452/Mas/98. Koito Manufacturing Co. Ltd. Vehicular lamp. (March 5, 1997; Japan).
- 453/Mas/98. Micro Motion, Inc. Dual loop coriolis effect mass flowmeter. (March 11, 1997; U.S.A.).
- 454/Mas/98. The Lincoln Electric Co. ARC Transfer circuit. (March 18, 1997; U.S.A.).
- 455/Mas/98. Rhodio Chimie and Rhodia Inc. Preparation of solid, powdery rare earth carboxylates by evaporation method. (March 5, 1997; U.S.A.).
- 456/Mas/98. Cabot Corporation. Charge-modified metal oxides and electrostatographic systems incorporating same. (March 6, 1997; U.S.A.).
- 457/Mas/98. Novartis AG and Royal Veterinary and Agriculture University. Cytochrome P450 monooxygenases. (March 7, 1997; Europe).
- 458/Mas/98. Nokia Telecommunications OY. Finding copied sim cards. (March 10, 1997; Finland).

6th March 1998

- 459/Mas/98. Max Co. Ltd. Stapling machine.
- 460/Mas/98. V. S. Kutty Krishnan. Kutty's navratana puzzle kit.
- 461/Mas/98. Antony Fernandez. Automatic hydro-pneumatic brake for railway.
- 462/Mas/98. Antony Fernandez. Plectro dynamic power unit (fuelless engine for all vehicles).
- 463/Mas/98. Indian Institute of Technology. A breakwater for use against seawaves.
- 464/Mas/98. Asta AB. New use.
- 465/Mas/98. Astra AB. Novel process.
- 466/Mas/98. Union Industrial Marmolera, SL. Procedure for the surface treatment of petrous materials.
- 467/Mas/98. F. Hoffmann-La Roche AG. Manufacture of ascorbyl monophosphates. (March 18, 1997; Europe).
- 468/Mas/98. BASF Aktiengesellschaft. Extraction of (METH) acrylic acid. (March 7, 1997; Germany).
- 469/Mas/98. Novo Nordisk A/S. Novel heterocyclic compounds. (March 7, 1997; 1 Denmark).
- 470/Mas/98. The Lincoln Electric Co. Drag cup for plasma arch torch. (March 14, 1997; United States of America).
- 471/Mas/98. Funai Electric Co. Ltd. Air conditioner and front panel therefor and method and apparatus for making using, and reinforcing same. (April 3, 1997; Japan).
- 472/Mas/98. Comau SPA. Device for spot-welding of motor-vehicle bodies or sub-assemblies thereof.

473/Mas/98. SMS Schloemann-Siemag Aktiengesellschaft.

Method and plant for producing sheathed continuously cast products.

9th March 1998

- 474/Mas/98. Premier Polytronics Ltd. An apparatus for identifying and removing foreign material from cotton.
- 475/Mas/98. Oryx Engineering & Consultancy (P) Ltd. An apparatus for the treatment of waste petroleum oil for obtaining refined petroleum oil therefrom.
- 476/Mas/98. Akzo Nobel. N. V. Method of producing chlorine dioxide. (March 20, 1997; U.S.A.).
- 477/Mas/98. Norton Chemical Process Products Corporation. Support plate. (March 20, 1997; U.S.A.).
- 478/Mas/98. Targor GmbH. Preparation of olefin polymers having an increased melting point. (March 7, 1997; Germany).
- 479/Mas/98. Targor GmbH. Preparation of preparing substituted indanones. (March 7, 1997; Germany).
- 480/Mas/98. Targor GmbH. Supported catalyst system, process for its preparation and its use for the polymerisation of olefins. (March 7, 1997; Germany).
- 481/Mas/98. Japan Tobacco Inc. Antisense nucleotide sequences. (March 10, 1997; Japan).
- 482/Mas/98. Matsushita Electric Industrial Co. Ltd. Fluorescent lamp. (March 10, 1997; Japan).
- 483/Mas/98. C. Raja Reddy. A super solar collector that focuses solar insolation by integral paraboloid reflector to the axial absorber and reduces heat loss by maintaining fluid flow in four concentric everlapping sequential layers, as it moves from one end to the other, by suitable cylindrical baffles.
- 484/Mas/98. C. Raja Reddy. Super tuned radio frequency receiver-STRF receiver-that reproduces the broadcast signal with high fidelity and low noise.
- 485/Mas/98, Md. Riaz, Mathematical skill stimulant (game).

10th March 1998

- 486/Mas/98. Roots Multi Clean Ltd. Floor scrubber dryer.
- 487/Mas/98. Planters Energy Network. A drier.
- 488/Mas/98, DSN N.V. Process for decomposing cycloalkylhydroperoxide. (March 12, 1997; Belgium).
- 489/Mas/98. Dynamit Nobel GMBH. Gas generator.
- 490/Mas/98. Hoechst Aktiengesellschaft. In vitro transcription processes for screening natural products and other chemical substances. (March 12, 1997; Germany).
- 491/Mas/98. Qualcomm Incorporated. Method and apparatus for encrypting data in a wireless communication system. (March 11, 1997; U.S.A.).
- 492/Mas/98. Globalstar L.P. Satellite communications system having distributed user assignment and resource assignment with terrestrial gateways. (March 18, 1997; U.S.A.).
- 493/Mas/98. Locus Corporation. Electric field intensity distribution preparation apparatus. (March 11, 1997; Japan).

11th March 1998

- 494/Mas/98. Oryx Engineering & Consultancy (P) Ltd. A process for the treatment of waste petroleum oil for obtaining refined petroleum oil therefrom.
- 495/Mas, 98. Hoechst Aktiengesellschaft. Hypolipidemic 1, 4-benzothiazepine-1, 1-dioxides (March 14, 1997; Furope).
- 496/Mas/98. Novo Nordisk A/S. Use of 2, 3, 4, 5-tetrahydro-1H-3-benzazepines for the manufacture of a pharmaceutical composition for the treatment of sleep disorders. (March 12, 1997; Denmark).
- 497/Mas/98. BASF Aktiengesellschaft. Dolastatin 15 derivatives with carbonyl and heterocyclic functionalities at the C-terminus. (March 10, 1997; U.S.A.).
- 498, Mas/98. Weston Medical Ltd. Needleless injector and holder therefor. (March 14, 1997; United King-uom).
- 499/Mas/98. Mitsubisni Denki Kabushiki Kaisha. A method and apparatus for speech encoding, speech decoding, and speech coding/decoding. (March 12, 1997; laren).
- 500/Ma₃/98. Canon Kabushiki Kaishla. Substrate processing apparatus and method. (March 13, 1997; Japan).
- 501/Mas/98. Westaim Technologies Inc. Antimicrobial coatings having indicator properties and wound dressings. (March 17, 1997; United States).

12th March 1998

- 502/Mas/98 Planters Energy Network. A solar heater.
- 503/Mas/98. Monsanto Company. Photovoltaic cell.
- 504/Mas/98, Monsanto Company. Photovoltaic cell.
- 505/Mas/98. Monsanto Company. Method for the manufacture of photovoltaic cell.
- 506/Mas/98. Societe des Prodults Nestle S. A. Pump system with error detection for clinical nutrition.
- 507/Mas/98. Societe des Produits Nestle S. A. Peristaltic pump.
- 508, Mas/98 BASF Aktiengosellschaft. Dolastatin-5 derivatives in combination with taxanes. (March 13, 1997; U.S.A.).
- 509/Mas/98. BASF Aktiengesellschaft. Novel carboxylic acid derivatives, their population and use in treating cancer. (March 14, 1997; U.S.A.).
- 510/Mas/98. CIBA Specialty Chemicals Holding Inc. Azo dyc mixtures, lazo dyes, processes for their preparation, and their use.
- 511/Mas/98. Biochemie Gesellschaft m b H. Antibiotics
- 512, Mas/98. General Engineering Services Ltd. Goods container and method for containing goods, (March 13, 1997; United Kingdom).
- 513/Mas/98. Canon Kabushiki Kaisha. Semiconductor substrate Having compound semiconductor layer, process for its production, and electronic device fabricated on semiconductor substrate. (March 17, 1997; Japan).
- 514/Mes/98. BASF Aktiengesellschaft. Cycloalkylalkanecarboxamides and their preparation and use, (March 14, 1997; Germany).
- 515/Mas/98. BASF Aktiengesellschaft. Fungicidal mixture. (March 14, 1997; Germany).
- 516 Mas/98. Shell Internationale Research Maatscht.ppij B.V. Acid functional and epoxy functional polyester resins.

- 517/Mas/98. Hoechst Aktiengesellschaft. Promoter of the cdc25B GENE, its preparation and use. (March 14, 1997; Germany).
- 518/Mas/98. The Lincoln Electric Co. Plasma ARC torch. (March 14, 1997; U.S.A.).
- 519/Mas/98. The Lincoln Electric Company. Plasma system and method of operating same. (March 13, 1997 U.S.A.).

13th March 1998

- 520/Mas/98. Stanpacks (India) Ltd. A multilayered composit bag for packing materials.
- 521/Mas/98. Mohan Sadashiv Divekar. An electronic apparatus for detecting pilferage of electricity on single phase installations & on distribution lines.
- 522/Mas/98. Mohan Sadashiv Divekar. An electronic apparatus for detecting pilferage of electricity on poly phase installations and transmission lines.
- 523/Mas/98 Nokia Telecommunications OY. Method for implementing a memory. (March 14, 1997; Finland).
- 524/Mas/98. Nokia Telecommunications OY. Method for implementing a memory. (March 14, 1997; Finland).
- 525/Mas/98. Nokia Telecommunications OY. Method for implementing a memory. (March 14, 1997; Finland).
- 526/Mas/98. Novartis AG. Pharmaceutical compositions. (March 14, 1997; South Korea).
- 527/Mas/98. Rieter Ingulstadt Spinnereimaschinerbau Aktiengesellschaft Apparatus for the production or subsequent processing of silver. (March 14, 1997; Germany).
- 528/Mas/98. Nokin Telecommunications OY. Procedure for ensuring the operation of signalling channels in a V5 interface. (March 18, 1997; Finland).
- 529/Mas/98. British Telecommunications Public Ltd. Co. Re-usable database system. (March 17, 1997; Great Britain).
- 530/Mas/98. Reckitt & Colman Products Ltd. Antimicrobial compositions, their preparation and use. (March 13, 1997; United Kingdom).
- 531/Mas/98. The Dow Chemical Co. Postcure treatment for reaction injection molded polyurethanes. (March 14, 1997; U.S.A.).

16th March, 1998.

- 532/Mas/98. V.V. Thangathiruppathy. Fingered tooth brush with vertically and independently swinging bristle lines.
- 533/Mas/98. Indian Institute of Technology. A fluidised bed jet mill for producing ultra-fine powders, hereafter peing named as Microfines Fluidised Bed Jet Mill for producing ultra-fine powders.
- 534/Mas/98. Indian Institute of Technology. A pneumatic classifier for fine powders, hereafter being named as Microfines Pneumatic Fine Classifier for the classification of fine powders.
- 535/Mas/98. Indian Institute of Technology. A circular fluid energy mill for yielding ultra-fine powders, hereafter being named as Microfines Circular Fluid Energy Mill for producing ultra-fine powders.
- 536/Mas/98. BASF Aktiengesellschaft. Preparation of n-butyraldehyde and/or n-butanol, (Match 17, 1997; Germany).
- 537/Mas/98. BASF Aktiengesellschaft, Preparation of acctals. (March 17, 1997; Germany).

- 538/Mas/98. BASF Aktiengesellschaft. Phenyiketiminooxybenzyl compounds, their preparation and incir use. (March 18, 1997; Germany).
- 539/Mas/98. BASF Aktiengesellschaft, Substituted 2-benz (o)ylpyridines. (March 20, 1997; Germany).
- 540/Mas/98. Shell Internationale Research Maatschappij B.V.
 Waste component removal from crude oil or gas.
- 541/Mds/98. Shell Internationle Research Maatschappij B.V. Removing a waste component from a hydrocarbon fluid.
- 542/Mas/98. The Dow Chemical Company. Polyurethanc latexes, processes for preparing them and polymers prepared therewith. (March 17, 1997; U.S.A.).
- 543/Mas/98. The Dow Chemical Company. Continuous process for preparing a polymurethane latex. (March 17; 1997; U.S.A.).
- 544, Mas/98. Societe Des Produits Nestle S.A. System and method for administering two liquids.
- 545, Mas/98. Thermoscan Inc. Improved infrared electronic thermometer and method for measuring temperature (March 1/, 199/; U.S.A.).
- 546/Mas/98. Thermoscan Inc. Protective two position chell for an infrared thermometer. (March 17, 1997; U.S.A.).
- 547/Mas/98. Rhodia Chimic. Process for preparing 2H-1penzopyrans. (March 14, 1997; France).

17th, March, 1998.

- 548 Mas/98. Mrs. R. Jothilakshmi and G.M. Ramachandran. Zic Zag textile processing.
- 549/Mas/98. Indian Institute of Technology, Alumina-zirconia composite powder and a process for the preparation of the same.
- 550/Mas/98. Kyocera Corporation. Method of controlling transmission output of radio.
- 551 Mas/98. British Telecommunications Public Limited Company. Operating telecommunications network. (March 18, 1997; Great Britain).
- 552/Mas/98. Schering Corporation. Proparation of powder agglomerates. (March 20, 1996; United States of America).
- 553 Mas/98. Haldor Topsoe A/s. Method of preparing rare earth-barium cuprates superconductors. (March 21, 1997; U.S.A.).
- 554/Mas/98. Societe des Produits Nestle S. A. Food fortification. (March 21, 1997; U.S.A.).
- 555/Mas/98. DSM N V. Process of purifying caprolactam. (March 17, 1997; Belgium).
- 556/Mas/98. The Dow Chemical Company. Process for preparing carpets having polyurethane backings obtained from polyurethane latex formulations. (March 17, 1997; U.S.A.).
- 557/Mas/98. Revlon Consumer Products Corporation. Hair dye compositions and process (March 18, 1997; U.S.A.).
- 558/Mas/98. F. Hoffmann-La Roche AG. Moditied phytases. (March 25, 1997; Europe).
- 559 Mas/98. SMS Schloemann-Siemag Aktiengesellschaft.
 Optimized shapes of continuous casting molds and immersion outlets for casting slabs of steel.
 (March 17, 1997; Germany).

18th March, 1998.

560/Mas/98. Astor Technologies. Method and apparatus for generating shirt patterns.

.... --- - . .

- 561/Mas/98. Raychem Limited. Recoverable article. (March 19, 1997; Great Britain).
- 562/Mas/98. Raychem Limited, Recoverable article, (March 19, 1997; Circut Britain).
- 563/Mai/98. Raychem I imited. Recoverable article. (March 19, 1997; Great Britain).
- 564, Mas / 98. Raychem Limned. Recoverable article. (March 19, 1997; Great Britain).
- 565 Mas, 98. Ryachem Limited. Recoverable article. (March 19, 1997; Great Britain).
- 566, Mas, 98. Rayensin Corporation. Recoverable article. (Maich 19, 1997; U.S.A.).
- 507 Mas / 18. Mannesmann Boge GmbH. Hydraulic-damping bearing. (March 25, 1997; Germany).
- 568 Mas, 58. Dr. Raymond John Bacon, Dispenser, (March 19, 199/; United Kingdom).
- 565/Mas/98. AT&T Corp. Voice-response paging device and method.
- 570/Mas, 98. Sists Schtoemann-Siemag Aktiengesellschaft. Rotting mill drive with gear-type joint spindles and wan a device for circulatory lubrication. (March 20, 1997; Germany).
- 571/Mas/98. Schnolder Electric SA. Breaking pole in (March 20, 1997; electrical switching device. France).
- 572/Mas/98. Joshua David Silver. Improvements in or relating to variable focus lenses.
- 573/Mas/98. Eastbridge Limited. Stable particle in liquid roomulations. (March 18, 1997; U.K.).
- 574/May, 93. AT&1 Corp. Method and apparatus for spectral efficient transmission of CDMA modulated signals.
- 575/Man/98. AT&T Corp. Weak signal resolver.
- Mas, 28 Qualcomm Incorporated. Multi-input wireless phone with echo suppression. (March 19, 1997;
- 577/Mas, 98. Smithfilme Beecham plc. Novel composition. (March 20, 1997; Great Britain).
- 578/Mas 98. Tata BP Solar Indian Limited. Solar educational kit.

19th March, 1998.

- 579/Mag. 98. Tata BP Solar india Limited. Spillproof solar powered lantern.
- 580/Mas/98. Dr. Reddy's Research Foundation. Novel annydrous amorphous form of quinapril having antihypertensive properties and a process for its preparation.
- 581/Mas/98. Unamelon Inc. Dentifrice products and methods for remineralizing and/or mineralizing teeth. (April 3, 1997; U.S.A.).
- 582, 'Mas, 98. Kimberly-Clark Wordwide Inc. Dual-zoned absorbent webs (March 21, 1997; United States of America).
- 583: Mas/98. ABB Durhan Switchgear Limited. Electrical power supply distribution board. (March 20, 1997; United Kingdom).
- 584/Mas/98. Schlumberger Holdings Limited. A mehod and apparatus for acquiring data in a hydrocarbon well, (March 20, 1997; France).
- 585 (Ma₃/98. British Telecommunications Puble Company, Telecommunications switch, 19, 1997; Great Britain).
- 586/Ma-, 98. Peri GMBH. Dismantable scaffold with floor monels arranged on cross braces. (March 19, 1997; Germany).

- 587/Mas/98. Nokia Telecommunications OY. ATM awitching in telecommunication networks. (March 20, 1997; Finland).
- 588, Mas/98. Ravco Innovations Inc. Security bar assembly. (March 20, 1997; U.S.A.).

20th March, 1998.

- 589/Mas/98. Dickey-John Corporation. Apparatus and method for sensing material build-up. (March 20, 1997; U.S.A.).
- 590/ Mas / 98. Dickey-John Corporation. Apparatus and method for sensing a full level condition for a large basket, receptacle or the like. (March 21, 1997; U.S.A.).
- 591/Mas/98. Castrol Limited. A metalworking fluid. (March 21, 1997; United Kingdom).
- 592/Mas/98. ABB Flakt Aktiebolag. Method to control current supply to an electrostatic precipitator. (March 26, 1997; Sweden).
- (1) Shuzurifuresher Kaihatsu Kyodokumiai 593/Mas/98. and (2) Kunio Arai, Method for using high den-sity compressed liquehed gases in cleaning appli-
- 594/Mas/98. Kimberly Clark Worldwide, Inc. A permeable liber-like film coated nonwoven. (March 28, 1997; U.S.A.).
- 595 Mas/98. IDC Plugs Limited. Line protection device. (June 4, 1997; Great Britain).
- 596/Mas/98. Kimberly-Clark Worldwide Inc. Gel sensors and method of use thereof, (March 21, 1997; U.S.A.).
- 597 Mas/98. The Boots Company PLC. Therapeutic composition. (March 22, 1997; United Kingdom).
- 598/Mas/98. Mitsubishi Denki Kabushiki Kaisha. Vehicular fuel supplying apparatus.
- APPLICATION FOR PATENTS FILED IN THE PATENT OFFICE BRANCH, AT TODI ESTATES, IlIRD FLOOR, SUN MILL COMPOUND, LOWER PAREL (W), MUMBAI-13.

25-5-98

- 329/Bom/98. Dr. C. P. Vibhute, Improvements in or relating to three tier sleeper coaches to increase bearth capacity of long distance trains.
- 330/Bom/98. Prabhakar Ganesh Bhide. An invention relating to a dual ignition system for petrol cars.

331/Pom/98. Anand Swaroop Mahajan. A proposed new techniques for measurements of level of liquids.

29-5-98

332/Bom/98. Shri S. P. Surana. 'Super Harvast' natural fertilizer from Fly Ash.

- 333/Bom/98. Hindustan Lever Limited, Improved powder composition.
- 334/Rom/98. Dr. Waman Dattatraya Patwardhan & Shrikant Waman Patwardhan. Improvement in or relating to gas generating compositions used for inflating automobile safety crash bags.
- 335/Bom/98, Kaitikbhai P. Bakeri, Masquito Repellent,
- 336/Bom/98. Searle (India) Limited. A process for the preparation of 3-phenexybenzyl Halids.

- 337/Bom/98. Searle (India) Limited. A process for the preparation of 2-(4-Ehoxyphenyl)-2-Methyl propyl Alcohol.
- 338/Bom/98. The Associated Coment Companies Limited.

 Process for manufacturing prefired high refractory barjum mono-aluminate with controlled setting time.
- 339/Bom/98. The Associted Cement Companies Limited.

 Method of manufacturing rapid hardning grout composition.
- 340/Bom/98. Prof. Kishorilal Munshi & Abhinas Munshi. 3-position toggle mechanism.
- 341/Bom/98. Bhimrao Gabaji Tathe. Tunnel excavator.

3-6-98

- B42/Bom/98. Anil Ramchandra Bhagwat. An improved heat engine.
- 343/Bom/98. Dr. Vijay Vasant Deshpande, Improved water tap.
- 344/Bom/98. Nacindus Jamnadas Vora. Process for manufacturing of thread rolls for rolling fasteners heat treated condition.
- 345/Bom/98. Hindustan Lever Limited. Bar compositions, comprising nevel chalating surfactants and related process for manufacturer of such bars. U.S.A. priority dt. 5-6-97).
- 346/Bom/98. Hindustan Lever I imited. Polymeric Materials. (U. K. priority dt. 6-6-97).
- 347/Bom/98. Hindustan Lever Limited. Dispenser for applicator pads. (U.S.A. priority dt. 9-6-97).

4-6-98

- 348/Bom/98. Mohan Madhav Bhardwaj. A toothbrush Assembly.
- 349/Bom/98. M/s. Flux Hi-tech Inc. A magnetic device fofreatment of fluids fllowing through a system containing steel from nine and for protecting the system from scaling corresion, aleas and paraffining and the system comprising the said magnetic device.
- 350/Mas/98. Dr. Jai S. Ghosh & Dr. Hemant A. Deshpande Sedimentation of tailings from iron ore benefication plant using micro-organisms.

5-6-98

351/Bom/98. M/s. J. B. Chemicals & Pharmaceuticals Ltd.
A novel process for the preparation of 2, 6-diable lere substituted diphenylamine derivatives.

08-06-98

- 352/Bom/98. Huseni Abdeali Khambhati, Shri Mahak Great Plant for the Environment dangerous,
- 353/Bom/98. Hindustan Antibiotics Ltd. "An improved process for isolation of Penicillin G Acylase from Egcherichia Coli Cells by Chemial Extraction".
- 354/Bom /98. Shri Manilal Sendharam Panchal, An Improvement if and rolating Cattle feed trough.

10-06-98

- 355/Bom/98. Hindustan Tev-r Ltd. A Toothpaste Holder. (U.K. priority dt. 10-6-97 and 17-9-97).
- 356/Bom/98. Hindustan Lever Ltd. Peroxyacids,
- 357/Bom/98. Citural Biochemicals Ltd. A mixed structureed precipitated carbonate (PCC) for dentifrice a carbonation process for preparing the mixed structured POC and a carbonation device for carrying out the process

358/Bom/98. ITT Bombay and Mrinal Kanti Kundu and Sujata Vasudev Bhat. A process for the synthesis of the anti-bacterial and anti-malarial agent 2, 4-diamino-5- (3, 4, 5-trimethoxy) methyl pyrnidine, commonly known as trimethoprim.

11-06-98

- 359/Bom/98. Hindustan Lever 1.td. Composition for use in personal care. (U.K. priority dt. 13-6-97).
- 360/Bom/98. Sun Pharmaceutical Industries Ltd. "A process for the preparation of a fixed Dose Pharmaceutical Composition in the Form of a Layered Tablet containing Two Active Ingredients with Complementary effects".

12-06-98

- 364 /Bom/98. Mecaplast Sam. An Improved Process for sliding Motion of Trolley on Rail and Mechanism Thereof. (France priority dt. 13-06-97.
- 362/Bom/98. Pinakin Manharlal Shukla. An improved teeth brush with water supply, injectors, two different locking system and mouth wash facility.
- 363/Bom/98. The Associated Cement Companies Ltd. Process for manufacturing Reactive calcium dialuminate refrectory cement.
- 364/Bom/98. Hindustan Lever Ltd. Storage Container.
- 365/Bom/98. Honam Petrochemical Corporation. "Olefin Based Cross linked The Rmoplastic Hlastomers and a process of Preparation Thercof". (Korea priority dt. 14-06-97).
- 366/Bom/98. Rathi Transpower Pvt. Ltd. "An Improved Flexible Coupling".

15-06-98

- 367/Bom/98. Umakant Padmaji Arpal. A Sealing Device.
- 368/Bom/98. Lupin Laboratore Ltd. Kit For Immung-Diagnosis of Tuberculosis.
- 369/Bom/98. Dr. Sanjeev D. Patankar. Glucose Oxidase Production by solid State Formentation.
- 370/Bom/98. Janak Rameshchandra Patel (HUF). Polythene Wood which can be used for Furniture, Pencil ETC.
- 371/Bom/98. Kinarivala Automst Manufacturing Pvt. Ltd. An Electronic Device consisting of photo Sensor which continuously manitor the count Ply Variation as parn is passing through the proposes Sensor.
- 372/Bom/98. Cipla Limted. A spacer Device for Administering Orally a volatile liquid composition by inhalation.

16-06-98

- 373/Bom/98. Inspector General of Prisons. Govt. of Maharashtra. "An improved Dough making machine-cum-mixer".
- 374/Bom/98. Hindustan Lever Ltd. Production of Detergent Granulates. (U. K. Priority dt. 16-6-97).
- 3.75 / Boxn / 98. 'Hindustan Lever Ltd. Production of Detergent Granulates. (U.K. Priority dt. 16-6-97).
- 376/Bom/98. Hindustan Lever Ltd. Production of Detergent Granulates. (U.K. Priority dt. 16-6-97).
- 377/Bom/98. Hindustan Lever Ltd. Production of Detergent Granulates. (U.K. Priority dt. 27-6-97).
- 378/Bom/98. Hindustan Jever Ltd Unitarily Molded Toothbrush. (USA Priorities dt. 16-6-97 & 5-6-98).

- 379/Bom/98. Hindustan Lever Ltd. Unitarily Molded Toothbrush. (USA Priorities dt. 16-6-97 & 5-6-98).
- 380/Bom/98. Hindustan Lever Ltd. Food Products and processes Therefor.
- 381/Bom/93. Hindustan Lever Ltd. Abrasive Cleaning Composition. (U.K. Priority dt. 17-6-97).
- 382/Bom/98. Hindustan Lever Ltd. Improved Process of Making Flour.

17-06-98

- 383/Bom/98. Hindustan Lever Ltd. Clear Emulsion Cosmetic Composition. (USA Priority dt. 27-6-97).
- 384/Bom/98. Hindustan Lever Ltd. Activity Enhancement of Ferulic Acid with Dimethyl Isosorbide in Cosmetic Composition. (USA Priority dt. 27-6-97).
- 385/Bom/98. Dr. Shantikumar Dhondiram Chivate. A process for Use of Jaggery for Dressing in non-healing wounds.
- 386/Bom/98. Geoffrey Herbert Walsh. Sugar Juice Extractor.
- 387/Bom/98, Kishore Kanthikar. An Improved Method of water and an apparatus therefor.
- 388/Bom/98. M/s. Clear Plastics Private Ltd. A Horizontal soray Dispensing Closure For aqueezable Containers and a squeezable container Comprising the same.

18-06-98

389/Bom/98. The Associated Cement Companies Ltd.

Retrofittable exhaust gas converter for 2-stroke
I-C engines.

19-06-98.

- 390/Bom/98. Seema Food Products Pvt. Ltd. Chilli carrot Garlic Pickle.
- 391/Bom/98. Seema Food Products Pvt. Ltd. Chilli Garlic Pickle.
- 392/Bom/98. Dr. Hanmanthrao Sambaish Palep. A pharmaceutical preparation for safe-motherhood by preventing recurrent reproductive losses.
- 393/Bom/98. Sakharam M. Mahurkar. Hypodermic Needle Assembly.
- 394/Bom/98. The Ensign-Bickford (Company. "Electronic Circuitry for Timing and Delay Circuits". (USA Priority dt. 19-6-97).
- 395/Bom/98. Ahmedahad Textile Industry's Research Association. A Process for prenaring a Blended Silver of Jute/Cotton or Jute Synthetic Fibres and an Apparatus Therefor.

22-06-98

- 396/Bom/98. Seema Food Products Pvt. Ltd. Tea Taster.
- 397/Bom/98. Scema Food Products Pvt. Ltd. Classique Masala.
- 398/Bom/98. Seema Food Products Pvt. Ltd. Mango Garlic Pickle.
- 399/Bom/98. Seema Food Products Pvt. Ltd. Chicken Pickle.
- 400/Bom/98. Ayurvidyavardhini. "A Composition for Self Administerable Retentive Enema (Basti) and process to make the same".

- 401/Bom/98. Ayurvidyavardhini. "An Apparatus for Self Admnistering Retentive Enema (Basti) CONSIST-ING of a Composition having constituents from Ayurveda".
- 402/Bom/98. Mechatronics Test Equipment (I) Pvt. Ltd.
 "Improved Sensore-Cum-Cable Harness Tester for Automobiles".
- 403/Bom/98. Mrs. Gunvantiben Harishbhai Patel, Health care Water.
- 404/Bom/98. Bijani Firosbhai N. Permanent valve for Tube.

23-06-98

- 405/Bom/98. M/s, Sagar Naturopathic International Research. Model Bua Pass.
- 406/Bom/98. DMT-Gesellschaft fur Forschung Und Prufung WBH. Device to prevent the leakage of Charging Gases from a Core oven Chamber During Stamp Charging.
- 407/Bom/98. Oskur Moser Technische Edelsteine GMBH.
 Bearings. Particularly Bearings for use in Electric
 Meters.

24-06-98

- 408/Bom/98. Dr. Harish Vallabhji Thakkar. An Improved Laryngoscope".
- 409/Bom/98. Xybernaut Corporation. A core Computer Unit. (USA Priority dt. 20-01-98.

25-06-98

- 410/Bom/98. Seema Food Products Pvt. Ltd. Tamarind Garlic Chutney.
- 411/Bom/98. Seema Food Products Pvt. Ltd. Carrot Cauliflower Sweet-n-sour Pickle.
- 42/Bom/98. Walchandnagar Industries Limited. A self driven counter balancing and crop orienting and pushing three wheeler hervester.
- 413/Bom/98. Thermax Limited. "Improved Fluidised Bed Reactor and Packing Materials for use therein".
- 414/Bom/98. Thermax Limited. "Improved Anaerobic Degradation Reactor and Novel Packing Material for the therein.
- 415/Bom/98. Thermax Limited. "Improvements in or Relating to sequential batch Reactors and Weste water treatment using the same".
- 416/Bom/98. Thermax Limited. "A Device for Drying Tea leaves and other Similar Plant Waterial and Agricultural Products".
- 417/Bom/98. Star Precision Electronics (I) Ltd. "A Spectrometer Based Multipurpose Textile Testing Instrument".
- 418/Bom/98. Filterwerk Mann + Hummel GMBH. Air Filter. (Germany priority dt. 26-06-97).

26-06-98

- 419/Bom/98. Mahindra & Mahindra Ltd. Tractor Transmissions (UPG-50 Transmission).
- 420/Bom/98. Mahindra & Mahindra Ltd. Multi Speed Transmissions.
- 421/Bom/98. Sundeep Khanna. Multi Colour Fabric Dyeing Process.
- 422/Bom/98. Seema Food Product Pvt, Ltd. Meat Pickle,

26-9-98

- 423/Bom/98. M/s Essel Packuging Ltd. A process for manufacturing laminated Transparent substrate suitable for forming containers having flexible walls.
- 424 Bom. 98. Hindustan Lever Limited. Cosmetic compositions containing Resveratrol. (USA priority dt. 25-7-97.
- 425 Bom / 98. Hindustan Lever Limited. Skin care compositions containing an organic extract of Chick Pea. (USA priority dt. 25-7-97).
- 426/Bom/98. Saidan Shudid Munshi. Air condition to Couling Vehicle Engine and Provides Conditioning Inside The Vehicle Alotaibi.

30-6-98

427/Bom/98. Department of Atomic Energy. A process for producing articles of metals, alloys and ceramics with Etched surfaces and an apparatus for laser based surface etching of the said articles.

01-7-98

- 428/Bom/98. Sun Pharmaceutical Industries Ltd. Process for the preparation of stable pharmaceutical composition of thiego (3, 2-C) pyridine derivatives.
- 429/Bom/98. Sun Pharmaceutical Industries Ltd. Process for the preparation of stable pharmaceutical compositions of thieno (3, 2-C) pyridine derivatives.

02-7-98

- 430/Bom/98. Hindustan Lever Limited. Dye transfer inhibiting fabric softener compositions. (USA priorities dt. 3-7-97 & 20-3-98).
- 431/Bom/98. Prabhakar Ganesh Gogete Mikind. Kashinath Joshi. A fuel shut-off klt on In-Line Fuel Pump with integrally provided means for setting of Idler and Predetermined Engine Speed, along with space for Accelerator Leverage Connection.

03-7-98

432/Bom 98. Yan's Heterosis & Herbleide Inc. Crop Heterosis and Herbleide. (USA priority dt. 27-4-98),

06-7-98

- 433/Bom/98. Hindustan Lever Limited. Laundering and Fabrics Softening Compositions. (Brazil priority dt. 14-7-97).
- 434/Bom/98. Hindustan Lever Limited, Liquid Detergent Compositions and process for their preparations (UK priority dt. 15-7-97).
- 435 / Bom / 98. Hindustan Lever Limited. Soap Wrappers, (U.K. priority dt, 8-8-97).
- 436/Bom/98. Datar Witchgear Limited. Improved miniature circuit Breaker with a Trip-on-Fault position in addition to normal 'On' and 'Off' position of the On/Off knob.
- 43/7 Bom/98. Datar Switchgear Limited. Improved earth leakage circuit breaker (ELCB) with A Trip-On-Fault position in addition to normal On-Off positions of the On-Off knob.
- 438/Bom/98. DMT-Gesellschaft Fur Forshung Und Prufung Mbh. Device and method for sealing a leveler door opening of a coke oven chamber.

08-7-98

439/Bom/98. Kolhapur Novagen (India) Pvt. Ltd. Hybrid Antigens for detection of human immuno deficiency virus.

09-7-98

440/Bom/98. Gurunath Vaman Alurkar. Device for holding and manually rolling a drum on a surafce.

441/Bom/98. Filterwork Mann + Hummel GMBH. Pipe system, in particular a suction pipe for internal combustion engines. (Germany priority dt.

10-7-97

- 442/Bom/98. Coatex S. A. Use of a copolymer with a surface-active structure as a dispersing and/or crushnig agent. (France priority dt. 18-7-97).
- 443/Bom/98. Premark RWP Holdings, INC. Thermoplastic Acrylic Sheet Compositions and their use as substitutes for High Pressure Decorative Laminate. (USA priority dt. 23-7-97).
- 444/Bom/98. TDW Delaware, Inc. An improved Cup or Disc for use as a part of a Pipeline Pig. (USA priority dt. 15-7-97).

13-7-98

- 445/Bom/98. Himmustan Lever Limited. Duckbill raive. (USA priority dt. 15-7-97).
- 446/Bom/98. Hindustan Lever Limited, Improvements in or relating to producing theaflavin.
- 447/Botn/98 Hindustan Lever Limited. Benefit agent compositions mixtures of Alpha-Hydroxy Mixtures. (USA priority dt. 22-7-97).
- 448/Bom/98. Vilas Maharudra Sangawar. Improved Descating Compound.
- 449/Bom/98. Chandrashekhar Hari Sans (Vaidya). Ayurvedic preparation as a Sadetive Heart Toning Compound and as a Resistive Urinary Infection Remedy.
- 450/Bom/98. Sanjay Madhav Dandekar. An improved semi automatic envelope making machine.
- 451/Born/98. Velunor Home Decor Pvt. Ltd. Single piece assembly four way divertor.
- 452/Bom/98. Preshant Nishikant Joshi. An improved tongue cleaner.
- 457/Bom/98. Johnson & Johnson Ltd. (India), Washable-cover for a sanitary napkin.

14-7-98

454/Bom/98. Stops Services (I) Pvt. Ltd. A process for the production of a therapeutic anti-inflammatory and analgesic composition.

15-7-98

- 485/Bone/98, Hoschst Marion Roussel Limited. A process for the production of a new antibiotic named Vancoresmycin from an actinomycete species (Culture Y9439786, HIL-006734), its muteants or variants and its use as pharmaceutical.
- 456 Bom. 98. Bhabha Atomic Research Centre. A method of preparing a mechanically strong hydrophilic polyvinyl alcohol hydrogel.

16-7-98

457/Bom '98. Mr. M. S. Raghavan. A modified Amino Acid containing Methyl scroups is produced withing the cells of Living Bodies of Humans & Animals through Metabolism of CHOLINE and BETAINE. This Methyl group containing Amino Acid enhances Absorption, Assimilation, Transport and delivery of Oxygen to all the individual cells of the body and also serving as a Potent Methyl Donor to enhance Efficiency of Immune system of the Body. As a Nutritional feed supplement to Humans and Animals it greatly enhances the efficiency of Immune system thus making the consumer resistant to variety of Diseases.

- 458/Bom/98. Mr. M. S. Raghavan. A modified Amino Acid containing Methyl Groups is produced within the cells of Living Bodies of Humans & Animals through Metabolism of CHOLINE and BETAINE. This Methyl Group containing Amino Acid enhances Absorption, Assimilation, Transport and Delivery of Oxygen to all the individual cells of the body and also serving as a Potent Methyl Donor to enhance efficiency of Immune System of the Body. As a Nutritional Feed Supplement to Humans and Animals it greatly enhances the efficiency of Immune System thus making the consumer Resistant to Variety of Diseases.
- 459/Bom/98. Mr. M. S. Raghavan. A Primary and the Principal form of Organic Sulfur found in Dairy Products, Fruits, Meat and Vegetable, and in nature, it is found in Ocean bed and also in Rain water. It is a very essential and important Nutritional Food Supplement for Humans and Animals and also for helping Healthy Growth of Plants. Because Organic Sulfur is lost in Cooking or Pocessing, it is important as Nutrition Feed Supplement.
- 460/Bom/98. Hindustan Lever Limited. Stable Liquid Composi-Comprising High Levels of Emollients. (USA priority dt. 24-7-97).
- 461/Bom/98. Mahindra & Mahindra Ltd. Utility Vehicle.
- 462/Bom/98. Indian Oil Corporation Limited. A process for the preparation of pure aromatic solvents.

17-7-98

- 463/Bom/98. Hindustan Lever Limited. Detergent Composition and Dishwashing Process. (Brazil priority dt. 31-7-97).
- 464/Bom/98. Filterwerk Mann + Hummel GMBH. Filter Arrangement. (Germany priority dt. 23-7-97).
- 465/Bom/98. Pluess-Staufer Ag. Aqueous Suspensions Of Mineral Materials And Their Uses. (France priority dt. 18-7-97).
- 466/Bom/98. Seller. Edward. M. & Tvndale, Rachel, F. Compositions And Me'hods For Regulating Nicotine Metabolism. (Canada priority dt. 17-7-97, 20-1-98 & 20-1-98).
- 467/Bom/98. Sureshchandra K. Parekh. Suresh Poly Winds.

20-7-98

- 468/Bom/98. Hindustan Lever Limited. Frozen Food Product. (UK priorities dt. 13.8-97 & 22-1-98).
- 469/Bom/98. Star Precision Electronics (I) Ltd. A PC Based Compatible Fibre Bundle Strength & Elongation Tester.
- 470/Bom/98. Patel Arvindbhai Ranchhodbhai. Nandy-Auto Kick Air Pump (Device).
- 471/Bom/98. Indian Oil Corporation Limited (A Govt, of India Undertaking). A Novel Process For Production of Pure Aromatic Solvents.
- 472/Bom/98. KSB Pumps Ltd. Centrifugal Pump.

21-7-98

- 473/Bom/98. Nagindad Jamnadas Vora. Improved Platetype Oil Cooler for an Engine or a Like Machine.
- 474/Bom/98. Yanik, Garv, W. Improved Optical Activity Detector For Use With Optionally Active Compounds. (USA priority dt. 26-7-97).

22-7-98

475 Bom 98. Kopran Ltd. An enzymatic process for the manufacturer of semisynthetic antihiotics.

24-7-98

- 476/Boin/98. Grieshaber & Co. Ag. Scheffhausen, Method And Device To Improve Aqueous Humor Drainage In An Eye. (Switzerland priority dt. 15-8-97 & 10-3-98.
- 477/Bom/98. Siekmann GmbH. Universal Safety Syringe.

27-7-1998

- 478 Bom/98. Hindustan Lever Ltd. Toothbrush, U.K. Priority dt. 1-8-97.
- 479, Bom/98. Hindustan Lever Ltd. Toothbrush. U.K. Priority dt. 1-8-97.
- 480/Bom/98. Hindustan Lever Ltd. Detergent Compositions containing Polyethyleneiminnes for enhanced stain removal. USA priority dt. 4-8-97.
- 481/Bom/98. Hindustan Lever Ltd. Detergent Compositions containing Polyethyleneimines for enhanced peroxygen bleach stability. USA priority dt, 4-8-97.
- 482/Bom/98. Ramishbhai Amritlal Patel (HUF). Three points pin use as electrical parts fault indicator
- 483/Bom/98. Sanjay Laxman Rao Meshram. Method for producing power (Electricity) free of production cost.

28-7-1998

484/Bom, 98. Luk I amellen Und Kupplungsbau GMBH.
Apparatus for damping torsional vibrations. (Germ'uny priorities dt. 4-8-97 & 28-2-98).

29-7-1998

- 485/Bom/98. Mr. Raju Gophhao Khadgi, Improved Plastic Lock.
- 486/Bom/98, Vinesh Ramkrishna Patil. Vinesh's Genera-

30-7-1998

- 487/Bom/98. Priyal Khanderao Kulkarni & Vijay Priyal Kulkarni. An improved dental tooth paste prepared with green neem leaves as a major ingridient for medicinal effect.
- 488 Bom/98. Priyal Khanderao Kulkarni & Vijay Priyal Kulkarni. A medicinal liquid preparation made from green herbs to serve as nasal drops against common cold and sinus congestion.
- 489/Bom/98, Thermax Ltd. An improved method for generating steam from waste such as distillery waste, agrowaste and the like.

31-7-1998

- 490/Bom/98. V. G. Sundararaman & Sachchidanand Dhar.

 Process of Systematic Identification and Compilation of a Valve Directory and Pumping operation

 Manual in Pumping Systems on borard ships.
- 491/Bom/98. Hawking Cookers Ltd. A Rotl pan for preparation of food from a dough.
- 492/Bom/98, M/s. KumKum Food Products Ltd. Process and device for instant sterilization of food cereals pulses and the like.

3-8-1998

- 493/Bom/98 Polybond India Pvt. Ltd. An improved Antivibration Mounting.
- 494/Bom/98. Bajaj Auto Ltd. Improved mechanism for providing reverse motion for 3-wheeled vehicles having bar steering control.

- 495/Bom/98, Bajaj Auto Ltd. Improved driving mechanism for oil pump of 4 stroke engine.
- 496/Bom/98. Lahana Singh. Crash safety relating to HCVs (Heavy Commercial Vehicles).
- 497/Bom/98. SananJan Sudhir. Method of preparing and manufacturing packing material from a grass to lavoid the breakage of the product made from glass, ceramics and other such materials.

4-8-1998

- 498/Bom/93. Shrikant Padgilwar. An improved fixing and detaching arrangement for the gravity separator deck of a mechanised grevity separator.
- 499/Bom/98. Shrikant Padgilwar. Automatic sealing muchine for sealing the contents in a bay.
- 500/Bom, 98. Shrikant Padgilwar. Improved single or multiple Bullock Driven Sprayer.
- 501/Bom/98. Hindustan Lever Ltd. U. K. priority dt. 28-8-97 Soap Bars.
- 502/Bom/98, Kunkel-Wagner Prozess-technologies GMBH. Germany priority dt. 4-8-97. Syncaronized Separation of Mould and Sand Balls.
- 503/Bom/98. Prakash Krishna Ratnaparkhi, Hydraulic Operated Machines.

5-8-1998

- 504, Bom/98. Manju Kaushik, Vijay C. Desai, Prakash L. Mamtora, Ramendra Kumar Shukla & Prem Sagar Chhabra. Manufacturing process for Non-formaldehyed (Ecofriendly) Cattonic Dive Fixing Agent.
- 505/Bom/98. Larsen & Toubro Ltd. Containerised Foldable Site Welding Manipulator with an Built Height Blocks.
- 506/Bom/98. United Phosphorus 1td. A Synergic Insecticidal Composition.

6-8-1998

507/Bom/98. Sundeep Khanna. Multicolour fabric Spray Dyeing Process.

7-8-1998

- 508/Bom, 93. Badriprasad Bagaria. An Aayurvedic Ointment for Piles Treatment.
- 509/Bom/98, Dutokumpu Opj. Holder for a Mother Plats.

10-8-1998

- 510/Bom/98. Hindustan Lever Ltd. Improved Abrasive for Dentifrices.
- 511/Bom/98. Hindustan Lever Ltd. Brazil priority dt. 29-8-97. Hair Treatment Compositions.
- 512/Bom/98. Taparia Tools Ltd. A Screw Driver.
- 51B/Bom/98. Ajanta Pharma Ltd. Isolation & formulations of Nutrient-Rich Carotneoids.
- 514/Bom/98. Ajanta Pharma Ltd. Process for Isolation & formulations of Nutrient-Rich Carotenoids.
- 515/Bom/98. David T. Palazzo. A double wall storage tank having an extruded outer sheath.
- 516/Bom, 98. Xybernaut Corporation, USA priority dt. 5-6-98. A Mobile Computer.

12-8-1998

- 51/7/Bom/98. Plastart Electronics Pvt. Ltd. An improved Field Strength Meter.
- 518/Bom, 98. Niramtan Blotech Pvt. Ltd. A process to make probiotic animal feed supplement.

13-8-1998

- 519/Bom/98. Indian Petrochemicals Corporation Limited. A Catalyst composite for manufacturing unsaturated Hydrocarbons and method of preparation there-
- 520/Bom/98. Indian Petrochemicals Corporation Limited. A new process for the manufacture of selective molecular sieve adsorbent type A by pore size regulation by chemical treatment.

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form-14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form-15, of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch. Office on payment of the prescribed copying charges which may be ascertained on application to the office. Photo copying charges may be calculated by adding the number of plages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page are Rs. 2/.

स्बोक्त सम्पूर्ण विनिद्धेश

एतव्वारा यह मूजना वी जाती है कि सम्बद्ध मावेवनों में से किसी पर पेटोट अनुवान के विराध करने के इच्छ्र क कोई व्यक्ति, इसके निर्गम की तिथि से नार (4) महींने या निराध ऐसी सबिध को उक्त 4 महींने की अविध की समाध्त को पूर्व पेटोट नियम, 1972 के तहत विहित प्रपत्र 14 पर आव वित एक महींने की अविध से अधिक न हो, के भीशर कभी भी नियंत्रक, एकस्व को उपयुक्त कार्यालय में एसे विरोध की स्वना विहित प्रपत्र 15 पर वे सकते हैं। विरोध संबंधी लिखित वंबतव्य उक्त स्वना के साथ अथवा पेटोट नियम, 1972 के नियम 36 में यथा विहित इसकी विधि के एक महींने के भीतर ही काइस किए जाने चाहिए।

''प्रत्येक विनिवर्षेश के संवर्भ में नीचे विए वर्गीकरण, भारतीय वर्गीकरण तथा अन्तर-राष्ट्रीय वर्गीकरण के अनुरूप हुँ।''

रूपांकन (चित्र आरोकों) की फोटो प्रीएयां यदि को हाँ हो, के साथ विनिव⁴कों का अधिकत अथवा फोटो प्रतियों की आप्रति पेटंट कार्यालय, कलकर्सा अंथंक उपयुक्त शाखा कार्यालय द्वारा विहित लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पक व्यवहार द्वारा स्किरिक्त करने के उपरांत उसकी अवार्या में पिर की बा संकेती हैं। विनिव्हें की पूष्ठ संख्या के सींध प्रेलीक स्वीकृत विनिव्हें के सामने नीचे विणित चित्र आरोध कार्यों को बोड़कर उसे 2 से एणा करके, (क्योंकि प्रत्येक पृष्ठ का लिप्यानंतरण प्रभार 2/- रु. हो) फोटो लिप्यानंतरण प्रभार की परिकेलन किया जा सकता है।

Ind. Cl.: 127 A & I. Gr. [LXV(1)]

18190!

Int. Cl.: F 16 D-3/68; 3/74,

TORSIONALLY FLEXIBLE SHAFT COUPLING.

Applications: CENTA ANTRIEBE KIRSCHEY GMBH, POSTFACH 1125, 5657 HAAN 1, GERMANY, A GERMAN COMPANY.


Inventor: GERHARD KIRSCHEY,

Patent Application No. 5/Bom, 94 filed on 11-01-94.

Appropriete Cffice for Opposition Proceedings (Rule 4, Putents Rules 1972). Patent Office Branch, Mumbai-13.

5 Claims

Torsionally flexible shaft coupling essentially consisting of a coupling flange to be provided on the difving slde find a hub to be arranged on the driven side engaging axially in a central recess of the coupling flange for conflecting to a shaft as well as a number of elastic rubber chord shaped coupling bodies, whereby the central recess of the coupling flange has essentially an inner and the hub has an outer polygonal contour, displaced symmetrically in the circumferential direction, englaging with each other without contact, through plurality of elastic coupling bodies which are interested in the recess (clearance) formed by the circumferential displacement between the hub and coupling flange, is characterised by an outer sleeve correlated to the hub, or an inner sleeve correlated to the coupling flange recess, on which the elastic coupling bodies are supported outside or inside and the sleeve forming a rotationally fixed, axially slitting fit with the hub or the coupling flange recess



(ompl. Spech, 8 pages;

Draigh. 3 Mbolh:

(Compl. Specn, 13 pages;

181902

ind. Cl.: 80 H, Gr. [VI] & .201 D, Gr. [II (4)]. Int. Cl.: B 01D 21/08.

TAPERED VELOCITY GRADIENT FLOCCULATOR AND CLARIFIER.


Applicant & Inventor: ANAND GOVIND BHOLE FLAT NO. 3, "BAHAR". 229, HILL ROAD, SHEVAJI NAGAR, NAGPUR-440 010, MAHARASHTRA, INDIA.

Patent Application No. 96/Bom/94 filed on 15-03-94.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office Buanch, Mumbai-13.

2 Claims

Tapered velocity gradient flocculator and chrifter comprising (ii) an infler tapered velocity gradient flocculator unit 51 circular in shape with hopper bottom and peripheral circular inlet pipe 54 located at the botton portion of the floc-culator well; the said inlet pipe with a plurality of openings facing downwards at equal spacing along the pipe length serving the purpose of inlet for alum mixed raw water in the length serving the purpose of inlet for alum mixed raw water in the floculator unit; a plurality of paddles 61, 62, 63 supported from radially arranged centrally supported rotatable horizontal arms 64 located at the top portion of the floculator unit, the peddle arrangement in such a way that the number (or area) of paddles is maximum at the inlet zone of the floculator, reducing per unit radial distance towards outlet zone of the floculator, resulting minimum number (or area) of paddles per unit radial distance in the floculator outlet. of paddles per unit radial distance in the flocculator outlet or paddes per unit radial distance in the floculator outlet zone; a centrally located vertical large size pipe 56 with V notches 57 acting as inlet for the floculated water; a plurality of equispaced and radially arranged pipes 59 below, floculator floor with their inlet at the said centrally forated vertical pipe and the outlet at the inlet zone of the adjacent clarifier unit; a centrally located sludge pit 67 with a outlet pipe 68 and a valve 69 below the said central pipe for collocation and removal of the settled sludge in the floculator unit; and (b) an obtlet circular concentric high rate hopper buildin Clarifler 51 (or sedimentation tank) surrounding the said flocculator unit includes a circular wall 73 embedded with a plurality of sedimentation tubes 74 radially oriented and making an angle to horizontal (or inclimed) placed parallel to each other, one above other and also parallel to the said clarifier bottom having inlet zone at the outlet of the said radial pipes 59 from the flocculator unit and outlet zone at the outlet ends of the said sedimentation tubes; he chreular surface collecting channel 79 below the floor level at the lowest portion of the said clarifier unit having a robat-ing scraper 82 supported from the said horizontal arm 64 the channel followed by a pit and the outlet sludge pipe 84 with a valve; 85 an outside peripherial clear water collecting channel 77 with a peripherial weir 78 at the upper part of the said outlet zone of the clarifier unit such that the weir level of the collecting channel is above the upper most layer of the sald sedimentation tubes to ensure submorgence of the said tubes in water at all the time during operation, the Vnotches 57 of the contrally located pipe at higher level than that of the weir to ensure gravity flow from the central pipe to the weir.



Drugs. 3 sheets.)

Ind. Cl.: 170B Gr. [XL III (4)]

181903

Int. Cl.: C 11 D - 1/38, 3/62, 3, 10.

PARTICULATE DETERGENT BLEACHING OR CLEANING COMPOSITIONS CONTAINING NOSILICATES.

Applicants: HINDUSTAN LEVER LID., HINDUSTAN LEVER HOUSE, 165/166 BACKBAY RECLAMATION, MUMBAI-400 029. MAHARASHTRA, INDIA.

Inventor: CHAPPLE ANDREW PAUL.

Application No. 166/Bom/94 filed on 18-04-94. U. K. Priority dated 19-04-93.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972). Patent Office Branch, Mumbai-13.

13 Claims

A particulate detergent, bleaching or cleaning composition comprising 5---40% by weight of a bleach system comprising a bleach ingredient sensitive to moisture selected from peroxy bleach compounds a bleach activator of bleach catalyst, and 5-60% by weight of a crystalline aluminosilicate selected from zeolites having the general formula;

where M is a monovalent ention, wherein at least some of the cations M are selected from the group consisting of ammonium tons, lithium ions, hydrogen ions and combinations thereof.

(Compl. Specn. 48 pages;

Drngs, Nil).

181904

Ind. Ch.: 172 F. Gr. [XX]

Int. Cl.: D 01 H-13, 32 G '01 B-11 02.

AN IMPROVED COMPUTER BASED OPTO-ELECTRO-NIC DEVICE FOR DETERMINATION OF FIBRE LENGTH CHARACTERISTICS.


Applicants: M/S. STAR PRECISION ELECTRONICS (I) LTD., 78/2, G.I.D.C., MAKARPURA, BARODA-390-010, GUJARAT, INDIA, AN INDIAN COMPANY.

Patent Application No. 305/Bom/94 filed on 01-07-94.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office Bianch, Munibai-13.

5 Claims

A computer based opto electronic device for determination of fiber characteristics comprising a sample comb carriage which carries fiber test sample fiber tuft and movement of which carries like test sample like that and hovement of the tuft controlled by the stepper motor by means of stepper motor device with the help of stepper motor interface logic controlled by computer and limit switch and position sensor; a light source of fiber optic is provided over the said comb carriage to enable the light from the said source pass through the said source pass through the said comb carriage to enable the light from the said source pass. through the said comb tuft; a pair of photo-cell detector provided below the said comb carriage to detect the said light from the said light source; the said detector output is amplified by an amplifier and fed to 12 bit analog digital converter and output of the said connector is connected to computer through a interlace; the said computer is having keyboard, painter, monitor for operating the device for testing.



(Compl. Specn. 12 pages;,

Dungs, 5 sheets).

and, Cl. : 74 [XXI (1)] Int. Cl. A 47 G-27/00.

184905

METHOD OF MAKING A SUPPORT BINDER.

Applicants: OPTIMUM TECHNOLOGIES INC. PO BOX 1309, CARTERSVILLE, GEORGIA 30120, U.S.A. Inventors

1. LEWIS JAMES McDERMOTT
2. LEWIS PHILIP McDERMOTT.

Application No. 408/Bom 94 filed on August 23, 1994.

Divided out of No. 105, Bom/92 Ante dated to 1-4-92.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office Branch, Mumbai-13.

16 Claims

The method of making a support binder from a sorim having a plurality of space frame elements to form openings, comprising coating at least some of the same frame elements with a foamable material, causing the feaming material to expand to form a foam material, and coating at least a portion of the support binder with a pressure sensitive adhe-



(Compl. Speen, 25 pagels;

Drgs. 2 sheets.).

Ind. Cl.: 195 B & D, Gr. [XXIX]

181906

Int. Cl. : B 05 18-9/08.

INTERMIT**TENT** DISCHARGING LANCE FOR HAND HELD BACK PACK SPRAYER.


Applicant & Investor: DILIP SHANTARAM DEHANU-KAR AN INDIAN CITIZEN, INDUSTRIAL ASSURANCE BUILDING, CHURCHGATE, MUMBAI-400 020, MAHA-RASHTRA, INDIA.

Patent Application No. 410/Bom/94 filed on 23-08-94.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rule; 1972), Patent Office Branch, Mumbai-13.

2 Claims

Intermittent liquid discharging lance for hand held back pack sprajer such as herein described comprises of a tubular lance 2 having an adapter 2A on its inter side fitted with a handle 3 carrying a nipple 4 for coupling thereto a flexible pipe of a known hand or battery operated back pack sprayer; said adapter 2A at its outlet side respectively carries a lance valve 5 and a screw threaded cover 6 for said adapter 2A, the discharge side of said lance being provided with an elbow coupling 8 fitted with a screw threaded knobring 7; the discharge side of said elbow coupling 8 being provided with another screw threaded knobring 9 carrying therewithin an oscillator pulsator assembly 10 and the discharge side of said oscillator/pulsator assembly being fitted with a nozzle assembly 11 such that the continuous flow of water or like fluid pumped into said lance 1 through said oscillator/pulsator assembly getting converted into non continuous low volume, low pressure fluid spray during intermittently sprays fluid through said nozzle assembly 10 and intermittently sprays fluid through said nozzle assembly 11 while at the same time deflating said oscillator/pulsaror before itngets filled with fluid under pumping pressure for repeating said fluid spraying cycle.



Ding. 1 sheet.)

Ind. CI.: 32F [IX (1)]

181907

Int. Cl. : C 07 C-121/32, C 08 F-120/42.

A NOVEL PROCESS FOR THE SYNTHESIS OF SPECIAL ACRYLIC FIBRE FORMING ACRYLONITRILE BASED POLYMER IN DIMETHYLYLACETAMIDEWATER SUSPENSION SYSTEM.

Applicants: INDIAN PETROCHEMICALS CORPORA-TION LTD., P. O. PETROCHEMICALS, DISTRCT VADO-DARA-391 346, GUJARAT, INDIA.

Inventors :

1. UMA SHANKAR SATPATHY

- 2. VINOD KUMAR UPADHYAY
- 3. AJIT BEHARI MATHUR
- 4. SHLO SATISH
- 5. ISHWAR SINGH BHARDWAI.

Application No. 452, Bom/94 filed on 13-9-1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office Branch, Mumbai-13.

15 Claims

A process for the manufacture of an adrylonitrile based polymer for use as a precursor in the preparation of carbon ther which comprises polymerizing at a temperature above 50°C a monomer mixture containing at least 90% by weight of the acrylonitrile in a solvent system consisting of from 20—50% by weight of a good organic solvent such as herein described in the presence of an organic free radical forming initiator and anionic surfactant such as herein described.

(Compl. Specn. 24 pages;

Drgs, Nil.)

Ind. Cl. : 32 F 1, Gr. [IX (1)]

181908

Int. Cl. : C 07 H-19/04; C 07 D-205/08,

AN IMPROVED METHOD FOR THE PREPARATION OF 2-CHLORO SULFINYL AZETIDIN-4-ONE.

Applicants: LUPIN LABORATORIES LTD., A COM-PANY INCORPORATED UNDER THE COMPANIES ACT, 1956 HAVING ITS REGISTERED OFFICE AT 159, C.S.T. ROAD, KALINA, SANTACRUZ (EAST), MUM-BAI-400 098, MAHARASHTRA, INDIA.

Inventors :


- 1. NIRANJAN LAL GUPTA
- 2. MOHAN PRASAD.

Patent Application No. 493/Bom/94 with Provisional Specification filed on 14-10-94. Complete after Provisional Specification filed on 10-01-96.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office Branch, Mumbai-13.

10 Claims

An improved method for the preparation of 2-chloro sulfinyl azetidin 4-one of the general formula.



wherein K is hydrogen; alkyl; phenyl; phenoxy; benzyloxy, and R₁ is a carboxylic acid protecting group selected from the group consisting of C₁-C₂ alkyl, 2, 2, 2-trihaloalkyl, p-nitrobenzyl, which comprises reacting a penicillin sulfoxide ester of the general formula:

with an N-chloro halogenating agent in an mert organic solvent at a temperature of from 70°C—150°C, the reaction being conducted in the presence of an acid scavenging amount of hexamethyl disiloxane (HMDSO).

(Prov. Specn. 14 plages;

Drng! Nil.)

(Compl. Specn. 27 pages:

Drng. Nil.)

Ind. Cl.: 55 $E_0 + E_1$ Gr. [XIX(1)]

181909

Int. Cl.: A 61 K-31/015; 31,035.

A PROCESS OF MANUFACTURING CHEMICAL COMPOSITION COMPRISING CYCLO AND BICYCLO ALKENES WHICH HAVE ANTIANDROGENIC ACTIVITY

Applicant: COSMOS PHARMACEUTICAL CORPORATION AT 4400 MACARTHUR BOULEVARD, SUITE 270, NEWPORT BEACH, CALIFORNIA 92660, USA.

Inventor: LARRY C. FORD.


Patent Application No. 190/Bom/97 filed on 2-4-97

Divisional to Patent Application No. 393/Bom/93 of 18-11-93.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972). Patent Office Branch, Mumbai-13.

8 Claims

1. A process for manufacturing a compound of the formula



where R is JI, alkyl of 1 to 6 carbons; or CO-R2 where R is alkyl of 1 to 6 carbons;

R₁ is H, CH₃ or (CH₂)₁₀-CH₃

n is an integer having the values of 2 to 10, and

m is an integer having the value of 1 to 6

comprising of reacting spiro (bicyclo(3.3.0) octan-7.2'-(1.3)-dioxolane-2-one with a Grignard reagent of the formula

XMeCH(CH₂) CHR₁OTBDAS, where TBDAS represent at

butvalially slight group and the other symbols are defined above.

dehydrating the resulting tertiary alcohol;

removing the ketal forming ethylene glycol moiety to provide a ketone, removing the TBDAS group to provide an alcohol and

isolating the compound of the said formula (i).

(Compl. Specu, 52 pages;

Drng. Nil.)

Ind. Cl.: $55E_2 + E \cdot G_1 \cdot [XIX \cdot (1)]$

181910

Int. Cl.: A 61 K-31,015, 31/035.

A PROCESS OF MANUFACTURING CHEMICAL COM-POUND COMPRISING CYCLO AND BICYCLO ALKENES WHICH HAVE ANTI-ANDROGENIC ACTIVITY.

Applicants: COSMOS PHARMACEUTICAL CORPORA-TION AT 4400 MACARTHUR BOULEVARD, SUITE 270, NEWPORT BEACH, CALIFORNIA 92660, U.S.A., U.S.A. CORPORATION.

Inventor: LARRY C. FORD.


Patent Application No. 191/Bom/97 filed on 2-4-97.

Divisional to Patent Application No. 393/Bom/93 of 18-11-93.

Appropriate Office for Opposition Proceedings (Rule 4, Platents Rules 1972). Patent Office Branch, Mumbai-13.

8 Claims

A process for manufacturing a compound of the formula



where R is H, alkyl of 1 to 6 carbons; or $CO-R_2$ where R_2 is alkyl of 1 to 6 carbons.

R₁ is H, CH₁ or (CH₂)_m-CH₃

n is an integer having the values of 2 to 10, and

m is an integer having the value of 1 to 6;

shid process of the said formula comprising the step of reacting 3 chlorochyclopentanone with a Grignard reagent derived from a compound having the formula X-CH₂C=CH₄(CH₂)_{n-2}CH(OR)R³

where X is halogen and the other symbols are defined as above, and isolating the product of the formula (i) and

dehydrating the resulting tertiatry alcohol;

removing the ketal forming ethylene glycol moiety to provide a ketone, removing the TEDAS group to provide an alcohol, and

isolating the compound of the said formula.

(Compl. Specn. 52 pages;

Drgs. Nil.)

The state of the s

PATENT SPALED ON 30-09-98.

179984 .179983 179984 179987 179990 179991* 179993 * 179995 179996 179998* 179999 180000*D

CAL-07, DEL-05, MUM-NIL, CHEN-NIL

*Patent shall be deemed to be endersed with words LICENCE OR RIGHT Under Section 87 of the Patents Act, 1970 from the date of expiration of three years from the date of sealing.

D-Drug Patents.

F----Food Patents.

REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for a priod of two years from the data of registration except as provided for in Section 50 of the Designs Act. 1911:

The date shown in the each entries is the date of the registration included in the entries.

- Class 1. Nos 173002 & 173003, D. Swarovski & Co., of A 6112 Wattens, Austria; an Austrian company, "GEM STONE", 22nd January 1997.
- Class 1. No. 173008, Zeolite (India) Pvt. Ltd., of 344/7, N.S.C. Bose Road, Calcutta-700047, West Bengal, India, "WATHR PURIFIER", 24th January 1997.
- Class 1. No. 173012, Hardayal Singh Padam, Indian proprietor of Padam Impex, an Indian firm, 5B-1, Bunglow Plot, N.I.T. Faridabad, Haryana, India, "BATTERY WINCH USED IN HEAVY LAND VEHICLES", 24th January 1997,

- Class 3. No. 173001, Ashu Dhingra, an Indian national proprietor of S. D. Enterprises, an Indian company of 23. New Market, Malviya Nagar, New Delhi-17, "PLASTIC CONTAINER", 22nd January 1997.
- Class 3. No. 173007, Peter James Curry, a British citizen of 19 Woodcote Hurst, Epsom, Surrey, KT18 7DS, U.K., "DETACHABLE HAND GRIP TOOL", 11th July 1996 (Reciprocity date).
- Class 3. No. 173014, SEB, a French corporation (societe anonyme) of 212660 Selongey, France, "FOOD CHOPPER", 24th January 1997.
- Class 11. Nos. 173009 to 173011, Ajay Jain Son of Deputy Jain, Indian proprietor of Radha Prints, an Indian company, a sole proprietorship concern whose address is 44,13, Muslim Ganj, Shivala Bhaiyan, Amritsar, Punjab, India, "MUFFLER", 24th Jan. 1997.

COPYRIGHT EXTENDED FOR THE 2ND PERIOD OF FIVE YEARS

Number: 173935, 173934, 164150, 159150, 166574, 155573, 158757, 158759, 166572, 163925, 158758, 166571, 172869, 163972, 165141, 165059, 164006, 173936. Class-1.

Number: 173496, 172700, 172698, 163139, 165489, 166313, 164142, 155002, 167898, 164360, 163749, 166566, 157249, 168437, 169368, 170602, 164361, 173123.

H. D. THAKUR Controller Genl. of Patent, Design & Trado Marks